

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 2440-2270:0501

Page 1 of 1

**CATEGORY:** 2440 -- INSULATION

**LISTEE:** ROCKWOOL8024 Esquesing Line, Milton, ON L9T 6W3 Canada  
Contact: Yuddish Manna (905) 875-5724  
Email: list.cert@rockwool.com

**DESIGN:** ROCKWOOL COMFORTBOARD™ 110, available in 1", 1.25", 2", 2.5", and 3" thick.  
COMFORTBOARD™ 110 is a rigid mineral wool non-structural sheathing insulation board designed for use as an exterior continuous insulation, 11 lbs/ft<sup>3</sup> density.

Refer to listee's installation instructions and product data sheets.

**RATING:** Tested in accordance with ASTM E84

Flame Spread Index: 0  
Smoke Developed Index: 0

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, rating, and SFM label.

**APPROVAL:** Listed as insulation for wall assemblies complying with the California Building Code. Refer to listee's Installation Instruction Manual for details.

09-24-20 VWW



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **October 01, 2020**

*Listing Expires* **June 30, 2021**

Authorized By: **DAVID CASTILLO, M.E., F.P.E.**  
*Fire Engineering Division*