



INSTITUTE FOR TESTING AND CERTIFICATION, a.s.
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
Division CSI – Centre of Civil Engineering



Notified Body No. 1023

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1023-CPR-1207 P

Construction product: **Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings according to list given in the annex to the certificate**

Placed on the market under the name or trade mark of: **ROCKWOOL Polska, Sp. z o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice
Poland

Manufacturing plant: **ROCKWOOL Polska, Sp. z o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice (product line CIG3, CIG4)
Poland

Relevant standard(s): **EN 13162:2012+A1:2015**

Certification report No.: **755200188 / 2022**

Certificate first issued on: **2013-02-18**

Notified Body No. 1023, in compliance with Regulation (EU) No 305/2011 (CPR), attests that:

- All provisions relating to the Assessment and Verification of Constancy of Performance (AVCP) described in Annex ZA of the above harmonized standard(s) under **AVCP System 1** have been applied.
- The factory production control conducted by the manufacturer has been assessed to ensure the constancy of performance of the construction product.

The assessment of performance of the construction product and findings from the initial inspection of the manufacturing plant and factory production control are summarized in the above mentioned Certification Report.

This certificate remains valid as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the Notified Body.

This document replace Certificate of Constancy of Performance 1023-CPR-1211 P from 14.02.2022.



Issued in Prague:

2022-10-19
Change a



Mgr. Jiří Heš
Representative of Notified Body No. 1023



Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P
The certificate covers the following products of
ROCKWOOL Polska, Sp. z.o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
(production line CIG3, CIG4)
Page 1 of 2

Trade mark	Thermal conductivity $W.m^{-1}.K^{-1}$	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
MULTIROCK ROLL ROCKROLL (d = 100 – 200 mm)	0,044	A1	MW - EN 13162 – T1 – WS – WL(P) – MU1	CIG3
ROCKMIN PLUS (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,037	A1	MW - EN 13162 – T2 – WS – WL(P) – MU1 MW – EN 13162 – T2 - WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1	CIG3
ROCKSLAB PLUS (d = 40 – 200 mm)	0,037		MW - EN 13162 – T2 – WS – WL(P) – MU1	
ROCKTON ROCKTON SUPER (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,035	A1	MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – MU1 MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW0,95 – MU1	CIG3
ROCKSLAB ACOUSTIC (d = 50 – 99 mm) (d = 100 – 150 mm)	0,036	A1	MW - EN 13162 – T3 – WS – WL(P) – AW0,90 - MU1 MW – EN13162 – T3 – WS – WL(P) – AW0,95 – MU1	CIG3
VENTIROCK 625 (d = 40 – 100 mm)	0,035	A1	MW - EN 13162 - T2 – WS – WL(P) - MU1	CIG3
SUPERROCK (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,035	A1	MW - EN 13162 - T2 – WS – WL(P) -MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,75 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1	CIG3





Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P

The certificate covers the following products of
ROCKWOOL Polska, Sp. z.o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
(production line CIG3, CIG4)

Page 2 of 2

Trade mark	Thermal conductivity $W.m^{-1}.K^{-1}$	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
ROCKMIN (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,039	A1	MW - EN 13162 – T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS - WL(P) – AW0,85 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1	CIG3
ROCKSLAB (d = 50 – 200 mm)	0,042		MW - EN 13162 – T2 - WS - MU1	CIG3
TOPROCK PREMIUM (d = 100 – 200 mm)	0,035		MW - EN 13162 – T2 – WS – WL(P) - MU1	CIG3
ROCKROLL SUPER TOPROLL SUPER (d = 80 – 200 mm)	0,036		MW - EN 13162 – T2 - WS - MU1	CIG3
MEGAROCK PLUS (d = 100 – 200 mm)	0,039		MW - EN 13162 – T2 – WS – WL(P) - MU1	CIG3
ROCKSLAB SUPER (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,036	A1	MW - EN 13162 – T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,75 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,95 – MU1	CIG3
WPI WPI PLUS 35 (d = 30 - 50 mm)	0,035	A2-s1,d0	MW - EN 13162 - T4 – WS - MU1	CIG4

Mgr. Jiří Heš
Representative of Notified Body No. 1023

