

AENOR

Keymark Certificate Thermal insulation



020/003967

AENOR certifies that the organization

ROCKWOOL PENINSULAR, S.A.U.

registered office PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

supplies Mineral wool

in compliance with UNE-EN 13162:2013+A1:2015 (EN 13162:2012+A1:2015)

Trade mark Durock 386

See annex for more information.

Production site PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.09.

First issued on 2021-09-29

Validity date 2026-09-29

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272

AENOR

Keymark Certificate Thermal insulation

020/003967

Annex to Certificate

Trade mark Durock 386

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,038	50	1,30	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	55	1,40	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	60	1,55	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	65	1,70	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	70	1,80	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	75	1,95	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	80	2,10	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	85	2,20	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	90	2,35	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	95	2,50	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	100	2,60	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	105	2,75	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	110	2,85	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	115	3,00	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	120	3,15	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	125	3,25	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	130	3,40	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	135	3,55	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	140	3,65	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	145	3,80	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS
0,038	150	3,90	A1	MW-EN 13162-T5-DS(70,90)-CS(10/Y)50-PL(5)550-MU1-WL(P)-WS

First issued on 2021-09-29
Validity date 2026-09-29

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272