

AENOR

Keymark Certificate Thermal insulation



020/003969

AENOR certifies that the organization

ROCKWOOL PENINSULAR, S.A.U.

registered office PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

supplies Mineral wool

in compliance with UNE-EN 13162:2013+A1:2015 (EN 13162:2012+A1:2015)

Trade mark Rockfeu 520

See annex for more information.

Production site PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.09.

First issued on 2021-09-29
Validity date 2026-09-29

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR

Keymark Certificate Thermal insulation

020/003969

Annex to Certificate

Trade mark Rockfeu 520

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,039	30	0,75	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	40	1,00	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	50	1,25	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	60	1,50	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	70	1,75	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	80	2,05	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	90	2,30	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS
0,039	100	2,55	A1	MW-EN 13162-T5-DS(70,90)-MU1-WL(P)-WS

First issued on 2021-09-29
Validity date 2026-09-29

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272