

AENOR

Keymark Certificate Thermal insulation



020/004014

AENOR certifies that the organization

ROCKWOOL PENINSULAR, S.A.U.

registered office PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

supplies Mineral wool

in compliance with UNE-EN 13162:2013+A1:2015 (EN 13162:2012+A1:2015)

Trade mark Rockmur alu

See annex for more information.

Production site PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.09.

First issued on 2021-09-29

Validity date 2026-09-29

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR

Keymark Certificate Thermal insulation

020/004014

Annex to Certificate

Trade mark Rockmur alu

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,037	20	0,50	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	25	0,65	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	30	0,80	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	35	0,90	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	40	1,05	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	45	1,20	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	50	1,35	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	55	1,45	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	60	1,60	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	65	1,75	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	70	1,85	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	75	2,00	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	80	2,15	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	85	2,25	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	90	2,40	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	95	2,55	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	100	2,70	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	105	2,80	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	110	2,95	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	115	3,10	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	120	3,20	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	125	3,35	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	130	3,50	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	135	3,60	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	140	3,75	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	145	3,90	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	150	4,05	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5

First issued on 2021-09-29
Validity date 2026-09-29

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272

AENOR

Keymark Certificate Thermal insulation

020/004014

Annex to Certificate

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,037	155	4,15	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	160	4,30	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	165	4,45	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	170	4,55	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	175	4,70	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	180	4,85	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	185	5,00	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	190	5,10	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	195	5,25	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	200	5,40	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	205	5,50	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	210	5,65	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	215	5,80	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	220	5,90	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	225	6,05	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	230	6,20	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	235	6,35	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	240	6,45	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	245	6,60	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5
0,037	250	6,75	A1	MW-EN 13162-T3-DS(70,90)-WS-AFr5

First issued on 2021-09-29
Validity date 2026-09-29

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272