

AENOR

Keymark Certificate Thermal insulation



020/004036

AENOR certifies that the organization

ROCKWOOL PENINSULAR, S.A.U.

registered office PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

supplies Mineral wool

in compliance with UNE-EN 13162:2013+A1:2015 (EN 13162:2012+A1:2015)

Trade mark Rockplus 220

See annex for more information.

Production site PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.09.

First issued on 2022-02-04
Validity date 2027-02-04

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR

Keymark Certificate Thermal insulation

020/004036

Annex to Certificate

Trade mark Rockplus 220

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,034	30	0,85	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	40	1,15	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	50	1,45	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	60	1,75	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	70	2,05	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	80	2,35	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	90	2,60	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	100	2,90	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	110	3,20	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	120	3,50	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	130	3,80	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	140	4,10	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	150	4,40	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	160	4,70	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	170	5,00	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	180	5,25	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	190	5,55	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15
0,034	200	5,85	A1	MW-EN 13162-T3-DS(70,90)-WS-WL(P)-MU1-AFr15

First issued on 2022-02-04
Validity date 2027-02-04

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272