



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
Authorised Body, Notified Body, Certification Body,
Accredited Test Laboratories
Pražská 16, 102 00 Praha 10



Notified Body 1390

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0497/2020/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings sold under the trade mark

(trade marks and type codes according to EN 13 162 are given in the annex to the certificate)

placed on the market by : ROCKWOOL Polska, Sp.z o.o.
ul. Kwiatowa 14
66-131 Cigacice, Poland

and produced in the manufacturing plant : ROCKWOOL Polska, Sp.z o.o.
factory in Malkinia
ul. Jana III. Sobieskego
07-320 Malikina, Poland (production line MAL 5)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13 162:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 25.07.2020 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390
Prague, 24.2.2021




Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
 Divize CSI – Centrum stavebního inženýrství
 Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
 Akreditované zkušební laboratoře
 Authorised Body, Notified Body, Certification Body,
 Accredited Test Laboratories
 Pražská 16, 102 00 Praha 10



Annex to the EC-Certificate of Constancy of Performance 1390-CPR-0497/2020/P
 The certificate covers the following products of ROCKWOOL Polska, Malkinia factory:

Trade mark	Thermal conductivity W/m·K	Reaction to fire	Type code in accordance with EN 13 162	Line
SPANROCK L d=40-240mm	0,040	A1	MW-EN 13162-T5	MAL5
SPANROCK M d=40-240mm	0,038		MW-EN 13162-T5	
SPANROCK MM d=40-240mm	0,038		MW-EN 13162-T5	
SPANROCK S d=40-240mm	0,038		MW-EN 13162-T5	
SPANROCK XL d=40-240mm	0,040		MW-EN 13162-T5	
SPANROCK XS d=40-240mm	0,041		MW-EN 13162-T5	
SPANROCK XXS d=40-240mm	0,038		MW-EN 13162-T5	
SPANROCK YL d=40-240mm	0,040		MW-EN 13162-T5	
FRONTROCK PLUS d=40-300mm	0,035		MW-EN 13162-T5-DS(70,90)-CS(10)20-TR10-PL(5)200-WS-WL(P)-MU1	
FRONTROCK SUPER d=80-280mm	0,036		MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)20-TR10-PL(5)250-WS-WL(P)-MU1	
MONROCK MAX E d=50-250mm	0,038		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)40 ^{*)} -TR10-PL(5)650-WS-WL(P)-MU1 ^{*) for top layer CS(10)70}	
DACHROCK d=40-200mm	0,040		MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	
DUROCK d=50-200mm	0,040		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)60 ^{*)} -TR10-PL(5)700-WS-WL(P)-MU1 ^{*) for top layer CS(10)80}	
HARDROCK MAX d=50-200mm	0,040		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)70 ^{*)} -TR10-PL(5)800-WS-WL(P)-MU1 ^{*) for top layer CS(10)90}	
ROOFROCK 50 d=40-50mm	0,038		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)50-TR10-PL(5)600-WS-WL(P)-MU1	
ROOFROCK 50 d=60-200mm	0,038		MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)50-TR10-PL(5)500-WS-WL(P)-MU1	
ROOFROCK 60 d=20-30mm	0,037		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)60-TR10-PL(5)600-WS-WL(P)-MU1	
ROOFROCK 80 WINDROCK d=20-30mm	0,038		MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)80-TR10-PL(5)700-WS-WL(P)-MU1	
ROOFROCK 30E d=50-240mm	0,036		MW-EN 13162-T4-DS(70,90)-CS(10)30-WS-WL(P)-MU1	
ROOFROCK 40 d=60-250mm	0,038		MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)40-TR10-PL(5)400-WS-WL(P)-MU1	

Notified Body 1390
 Prague, 24.2.2021



Ing. Petr Kučera, CSc.
 Deputy of Notified Body 1390